


NOTES:

1. UNDER WATER QUALITY ORDER 99-08-DWQ, IT IS THE OWNER/DEVELOPER'S RESPONSIBILITY TO COMPLY WITH THE STATE OF CALIFORNIA NPDES REGULATIONS.
2. THESE PLANS FOR SEDIMENT AND EROSION CONTROL MEASURES, TO BE USED, AND SHOWN ON SAID PLANS WILL BE INSTALLED UPON PROJECT COMMENCEMENT AND MAINTAINED IN OPERABLE CONDITION AT ALL TIMES.
3. EQUIPMENT AND WORKERS FOR EMERGENCY WORK SHALL BE MADE AVAILABLE AT ALL TIMES DURING THE RAINY SEASON. ALL NECESSARY MATERIALS SHALL BE STOCKPILED ON SITE AT CONVENIENT LOCATIONS TO FACILITATE RAPID CONSTRUCTION OF TEMPORARY DEVICES WHEN RAIN IS IMMINENT.
4. DEVICES SHOWN ON PLANS SHALL NOT BE MOVED OR MODIFIED WITHOUT THE APPROVAL OF THE CITY INSPECTOR.
5. THE CONTRACTOR SHALL HAVE ALL EROSION/SEDIMENT CONTROL DEVICES TO WORKING ORDER TO THE SATISFACTION OF THE CITY INSPECTOR PRIOR TO EACH RUN-OFF PRODUCING RAINFALL.
6. THE CONTRACTOR SHALL INSTALL ADDITIONAL EROSION CONTROL MEASURES AS MAY BE REQUIRED BY THE CITY INSPECTOR DUE TO UNCOMPLETED GRADING OPERATIONS OR UNFORESEEN CIRCUMSTANCES WHICH MAY ARISE.
7. THE CONTRACTOR SHALL BE RESPONSIBLE AND SHALL TAKE NECESSARY PRECAUTIONS TO PREVENT PUBLIC TRESPASS ONTO AREAS WHERE IMPOUNDED WATERS CREATE A HAZARDOUS CONDITION.
8. ALL EROSION CONTROL MEASURES PROVIDED PER THE APPROVED GRADING PLAN SHALL BE INCORPORATED HEREON.
9. GRADED AREAS AROUND THE PROJECT PERIMETER MUST BE DRAINED AWAY FROM THE FACE OF SLOPE AT THE CONCLUSION OF EACH WORKING DAY.
10. ALL SEDIMENT REMOVAL DEVICES SHOWN SHALL BE IN PLACE AT THE END OF EACH WORKING DAY WHEN THE FIVE-DAY RAIN PROBABILITY FORECAST EXCEEDS 40%.
11. FOR CITY PROJECTS, THE CITY WILL PREPARE A STORM WATER POLLUTION PREVENTION PLAN (SWPPP) FOR THE PROJECT. THE SWPPP WILL INCLUDE CONSIDERATION OF STORM WATER BEST MANAGEMENT PRACTICES WHICH SHOULD BE INCORPORATED INTO THE PROJECT DESIGN AS WELL AS MEASURES WHICH WILL BE IMPLEMENTED DURING THE ONGOING USE OF THE PROPOSED PROJECT IN ORDER TO MINIMIZE URBAN RUNOFF OR OTHER CONTAMINATION.
12. FOR CITY PROJECTS, THE CITY WILL FILE A NOTICE OF INTENT WITH THE REGIONAL WATER QUALITY BOARD.

NO.	REVISED	BY	GENERAL STORM WATER POLLUTION PREVENTION NOTES	APPROVED	
				 CITY ENGINEER 58093	
DRAWN BY: AJM				DATE: 12-12-06	
CHECKED BY: CPB				STANDARD NO. SWPP-1	
SCALE: NONE			CITY OF RIPON		