

Approved Materials for Pipes

**Sanitary Sewer Lines**

- 1.) Vitrified clay pipe (extra strength)
- 2.) Ductile iron cement lined, Class 150
- 3.) Polyvinyl Chloride gravity pipe (P.V.C.), SDR-26

**Water Lines**

- 1.) Ductile iron pipe (D.I.P.), Class 150, cement lined inside
- 2.) Polyvinyl chloride pressure pipe (P.V.C.), Class 150, AWWA (C-900)
- 3.) Polyvinyl chloride pipe (P.V.C.), Schedule 40 (for irrigation tree wells only)

**Storm Drain Lines**

- 1.) Reinforced Concrete Pipe, rubber gasketed, Class III (minimum)
- 2.) Non-Reinforced concrete pipe (C.I.P.), (Requires Special City Engineer Approval)
- 3.) Corrugated plastic pipe (Requires Special City Engineer Approval)

Notes

1. Refer to the appropriate section of the Standard Specifications for approved pipe classifications.
2. All materials to be approved by the City Engineer.

NO.	REVISED	BY	<b>Pipe Materials</b>	APPROVED	 CITY ENGINEER RCE-28191
				DATE: 2-2-99	
DRAWN BY: MATT				STANDARD NO. <b>G-6</b>	
CHECKED BY: DJR			<b>CITY OF RIPON</b>		
V:\25_City of Ripon Standards\Standard Specifications\Drawings\General\g-6.dwg					